



# 营业执照

统一社会信用代码

91310118551569973D

证照编号: 290000000202108170230



扫描二维码登录“国家企业信用信息公示系统”了解更多登记、备案、许可、监管信息。

名称 上海浦盈混凝土有限公司

类型 有限责任公司(自然人投资或控股)

法定代表人 顾江宏

注册资本 人民币2100.0000万元整

成立日期 2010年03月10日

营业期限 2010年03月10日至 2030年03月09日

经营范围

住

所 上海市青浦区香花桥街道外青松公路4680号

许可项目：各类工程建设活动；城市生活垃圾经营性服务。（依法须经批准的项目，经相关部门批准后方可开展经营活动，具体经营项目以相关部门批准文件或许可证件为准）  
一般项目：从事预制品构件、混凝土制品、商品混凝土、固体废物再生骨料和干混砂浆的生产加工及销售；自产产品的生产、销售及治理，以下限分支机构经营：从事水稳碎石的生产、加工及销售自产产品。（除依法须经批准的项目外，凭营业执照依法自主开展经营活动）

登记机关

2021年08月17日





# Certificate of Registration



The Governing Board of  
Q.A. International Certification Limited  
hereby grants to:

**Shanghai PuYing Concrete Co., Ltd.**

Unified Social Credit Code: 91310118551569973D  
Registration No.: QAIC/CN/200091

(hereinafter called the Registered Company) the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered by the Registered Company at or from only the active business address given below in accordance with the health & safety management system in compliance with

**GB/T45001-2020 (ISO45001:2018, IDT)**

Business License Address:

**No.4680, Waiqingsong Road, Xianghuaqiao Street, Qingpu District, Shanghai, P.R. China**

Active Business Address to which this Certificate is registered:

**No.4680, Waiqingsong Road, Xianghuaqiao Street, Qingpu District, Shanghai, P.R. China**

Approved Scope to which this Certificate refers:

**The Manufacture of Ready Mixed Concrete and Management of  
Related Occupational Health & Safety Aspects.**

(Please note that the above scope represents the certified activity of the named organization and as such, the organization may undertake additional activities that are not covered under this certification).

Signed for and on behalf of the Board

CHIEF EXECUTIVE

SCHEME MANAGER

Certificate Issue Date : 18th September 2021 - Certificate Renewal Before : 14th September 2022  
Date of Initial Registration : 15th September 2020 - Re-Certification Before : 14th September 2023

This Certificate of Registration is granted subject to the Regulations approved by the Board.  
The information of this certificate can be searched on the website of CNCA ([www.cnca.gov.cn](http://www.cnca.gov.cn)).  
The certified organization should apply for regular audit to maintain its qualification.

**QA INTERNATIONAL**

Q.A. International Certification Ltd.  
Dudley Court  
Dudley Road  
Darlington  
United Kingdom  
DL1 4GG

Tel: +44 (0)1325 384272  
Fax: +44 (0)1325 480980  
[www.qai.co.uk](http://www.qai.co.uk)



中国认可  
管理体系  
MANAGEMENT SYSTEM  
CNAS C153-M



# Certificate of Registration



QA 国际认证有限公司董事局授权上海凯瑞克质量体系认证有限公司授予:

**上海浦盈混凝土有限公司**

统一社会信用代码: 91310118551569973D

注册号: QAIC/CN/209091

上述公司依其认证地址及认证范围, 本认证机构确认其职业健康安全管理体系符合 **GB/T 45001-2020 (ISO 45001:2018, IDT)** 标准, 在持续遵循有关服务及认证条款之下, 准予该公司的认证注册。

**注册地址:** 上海市青浦区香花桥街道外青松公路 4680 号

**审核地址:** 上海市青浦区香花桥街道外青松公路 4680 号

**认证范围:** 预拌混凝土的生产及相关职业健康安全管理活动

(请注意以上范围代表组织已获认证的活动; 组织可能从事的其他活动不包括在此认证范围内)

董事会授权签名

CHIEF EXECUTIVE

SCHEME MANAGER

本次发证日期: 2021 年 09 月 18 日 - 下次审核截止日期: 2022 年 09 月 14 日

首次注册日期: 2020 年 09 月 15 日 - 注册有效截止日期: 2023 年 09 月 14 日

董事局按规定授权本证书注册

本证书信息可在国家认证认可监督管理委员会官方网站 ([www.cnca.gov.cn](http://www.cnca.gov.cn)) 上查询

获证组织必须定期接受监督审核并经审核合格此证书方继续有效

## QA INTERNATIONAL

PRINCIPAL OFFICE:  
QA International  
Dudley Court  
Dudley Road  
Darlington  
Co. Durham  
DL1 6GG

Tel: +44 (0)1325 354272  
Fax: +44 (0)1325 480980  
[www.qaic.co.uk](http://www.qaic.co.uk)

ISSUING OFFICE:  
QAIC (China)  
Roni Centre, Room 901  
No. 6, Alley 299  
Jiangchang West Road  
Shanghai  
P. R. China, Postcode: 200072

Tel: 0086-21-51017385  
Fax: 0086-21-51017385  
[www.qaic-china.net](http://www.qaic-china.net)



中国认可  
管理体系  
MANAGEMENT SYSTEMS  
CNAS C153-M



VALIDATE THIS CERTIFICATE AT THE PRINCIPAL OFFICE SHOWN ABOVE.



# Certificate of Registration



The Governing Board of  
Q.A. International Certification Limited  
hereby grants to:

**Shanghai PuYing Concrete Co., Ltd.**

Unified Social Credit Code: 91310118551569973D  
Registration No.: QAIC / CN / 200456

(hereinafter called the Registered Company) the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered by the Registered Company at or from only the active business address given below in accordance with the environmental management system in compliance with **ISO 14001:2015**.

Business License Address:

**No.4680, Waiqingsong Road, Xianghuaqiao Street, Qingpu District, Shanghai, P.R. China**

Active Business Address to which this Certificate is registered:

**No.4680, Waiqingsong Road, Xianghuaqiao Street, Qingpu District, Shanghai, P.R. China**

Approved Scope to which this Certificate refers:

**The Manufacture of Ready Mixed Concrete and Management of Related Environmental Aspects.**

(Please note that the above scope represents the certified activity of the named organization and as such, the organization may undertake additional activities that are not covered under this certification).

Signed for and on behalf of the Board

CHIEF EXECUTIVE

SCHEME MANAGER

Certificate Issue Date : 25th November 2021 - Certificate Renewal Before : 24th November 2022  
Date of Initial Registration : 25th November 2020 - Re-Certification Before : 24th November 2023

This Certificate of Registration is granted subject to the Regulations approved by the Board.  
The information of this certificate can be searched on the website of CNCA ([www.cnca.gov.cn](http://www.cnca.gov.cn)).  
The certified organization should apply for regular audit to maintain its qualification.

## QA INTERNATIONAL

Q.A. International Certification Ltd.  
Dudley Court  
Dudley Road  
Darlington  
United Kingdom  
DL1 4GG

Tel: +44 (0)1325 384272  
Fax: +44 (0)1325 480980  
[www.qai.co.uk](http://www.qai.co.uk)



# Certificate of Registration



QA 国际认证有限公司董事局授权上海凯瑞克质量体系认证有限公司授予:

**上海浦盈混凝土有限公司**

统一社会信用代码: 91310118551589973D

注册号: QAIC/CN/200456

上述公司依其认证地址及认证范围, 本认证机构确认其环境管理体系符合 **ISO 14001:2015** 标准, 在持续遵循有关服务及认证条款之下, 准予该公司的认证注册。

**注册地址: 上海市青浦区香花桥街道外青松公路 4680 号**

**审核地址: 上海市青浦区香花桥街道外青松公路 4680 号**

**认证范围: 预拌混凝土的生产及相关的环境管理活动**

(请注意以上范围代表组织已获认证的活动; 组织可能从事的其他活动不包括在此认证范围内)

董事会授权签名

CHIEF EXECUTIVE

SCHEME MANAGER

本次发证日期: 2021 年 11 月 25 日 - 下次审核截止日期: 2022 年 11 月 24 日

首次注册日期: 2020 年 11 月 25 日 - 注册有效截止日期: 2023 年 11 月 24 日

董事局按规定授权本证书注册

本证书信息可在国家认证认可监督管理委员会官方网站 ([www.cnca.gov.cn](http://www.cnca.gov.cn)) 上查询

获证组织必须定期接受监督审核并经审核合格此证书方继续有效

## QA INTERNATIONAL

PRINCIPAL OFFICE:  
QA International  
Dudley Court  
Dudley Road  
Darlington  
Co. Durham  
DL1 4GG

Tel: +44 (0)1325 584372  
Fax: +44 (0)1325 480580  
[www.qai.co.uk](http://www.qai.co.uk)

ISSUING OFFICE:  
QAIC (China)  
Boni Centre, Room 901  
No. 6, Alley 299  
Jiangchang West Road  
Shanghai  
P. R. China, Postcode: 200072

Tel: 0086-21-51617585  
Fax: 0086-21-51617585  
[www.qaic-china.net](http://www.qaic-china.net)

VALIDATE THIS CERTIFICATE AT THE PRINCIPAL OFFICE SHOWN ABOVE.





# Certificate of Registration



The Governing Board of  
QA International Certification Limited  
hereby grants to:

**Shanghai PuYing Concrete Co., Ltd.**

Unified Social Credit Code: 91310118551569973D

Registration No: QAIC / CN / 200455

(hereinafter called the Registered Company) the right to be listed in the Directory of Registered Companies in respect of the services listed below. These services shall be offered by the Registered Company at or from only the active business address given below in accordance with the quality management system in compliance with **ISO 9001:2015**.

Business License Address:

**No.4680, Waiqingsong Road, Xianghuaqiao Street, Qingpu District, Shanghai, P.R. China**

Active Business Address to which this Certificate is registered:

**No.4680, Waiqingsong Road, Xianghuaqiao Street, Qingpu District, Shanghai, P.R. China**

Approved Scope to which this Certificate refers:

**The Manufacture of Ready Mixed Concrete.**

(Please note that the above scope represents the certified activity of the named organization and as such, the organization may undertake additional activities that are not covered under this certification).

Signed for and on behalf of the Board

CHIEF EXECUTIVE

SCHEME MANAGER

Certificate Issue Date : 18th September 2021 - Certificate Renewal Before : 31st August 2022  
Date of Initial Registration : 1st September 2020 - Re-Certification Before : 31st August 2023

This Certificate of Registration is granted subject to the Regulations approved by the Board.  
The information of this certificate can be searched on the website of CNCA ([www.cnca.gov.cn](http://www.cnca.gov.cn)).  
The certified organization should apply for regular audit to maintain its qualification.

## QA INTERNATIONAL

QA International Certification Ltd.  
Dudley Court  
Dudley Road  
Darlington  
United Kingdom  
DL1 4GG

Tel: +44 (0)1525 584272  
Fax: +44 (0)1525 480980  
[www.qai.co.uk](http://www.qai.co.uk)



The use of the Accreditation Mark indicates  
accreditation in respect of those activities covered  
by the accreditation certificate number 016

# Certificate of Registration



QA 国际认证有限公司董事局授权上海凯瑞克质量体系认证有限公司授予:

**上海浦盈混凝土有限公司**

统一社会信用代码: 91310118551569973D

注册号: QAIC/CN/200455

上述公司依其认证地址及认证范围, 本认证机构确认其质量管理体系符合 **ISO 9001:2015** 标准,  
在持续遵循有关服务及认证条款之下, 准予该公司的认证注册。

**注册地址: 上海市青浦区香花桥街道外青松公路 4680 号**

**审核地址: 上海市青浦区香花桥街道外青松公路 4680 号**

**认证范围: 预拌混凝土的生产**

(请注意以上范围代表组织已获认证的活动; 组织可能从事的其他活动不包括在此认证范围内)

董事会授权签名

CHIEF EXECUTIVE

SCHEME MANAGER

本次发证日期: 2021 年 09 月 18 日 - 下次审核截止日期: 2022 年 08 月 31 日  
首次注册日期: 2020 年 09 月 01 日 - 注册有效截止日期: 2023 年 08 月 31 日

董事局按规定授权本证书注册

本证书信息可在国家认证认可监督管理委员会官方网站 ([www.cnca.gov.cn](http://www.cnca.gov.cn)) 上查询  
获证组织必须定期接受监督审核并经审核合格此证书方继续有效

## QA INTERNATIONAL

ACCREDITED OFFICE:  
QA International  
Dudley Court  
Dudley Road  
Darlington  
Co. Durham  
DL1 4GG

Tel: +44 (0)1925 584872  
Fax: +44 (0)1925 480989  
[www.qai.co.uk](http://www.qai.co.uk)

ISSUING OFFICE:  
QAIC (China)  
Boni Centre, Room 901  
No. 5, Aday 999  
Jiangchang Wen Road  
Shanghai  
P. R. China, Postcode: 200072

Tel: 0086-21-31017383  
Fax: 0086-21-31017385  
[www.qaic-china.net](http://www.qaic-china.net)



VALIDATE THIS CERTIFICATE AT THE ACCREDITED OFFICE SHOWN ABOVE - UKAS ACCREDITATION HOLDER No. 046





# 建筑业企业资质证书



**企业名称:**上海浦盈混凝土有限公司

**注册地址:**上海市青浦区香花桥街道外青松公路4680号

**统一社会信用代码:** 91310118551569973D  
**营业执照注册号:**

**法定代表人:**顾江宏

**注册资本:**2100.0000万人民币

**经济性质:**有限责任公司(自然人投资或控股)

**证书编号:**DW231523643

**有效期:**至2026年01月27日

**资质类别及等级:**建筑工程施工总承包三级, 环保工程专业承包三级, 预拌混凝土专业承包不分级



**发证机关:**

**批准日期:** 2021年01月28日



企业最新信息可通过微信服务号“上海建筑业”扫描二维码查询。

本件生成日期: 2021年01月28日 10:53



# 上海市建设工程材料 备案证

备案证号: BH(沪)-08-20160054

社会信用代码: 91310118551569973D

企业名称: 上海浦盈混凝土有限公司

产品大类: 商品混凝土

产品类别: 商品混凝土

注册地址: 上海市青浦区香花桥街道外青松公路4680号

产品名称: 预拌混凝土(80210301)

规格\等级\型号: 普通混凝土、高强混凝土、自密实混凝土、纤维混凝土

执行标准: GB/T 14902

有效期: 2022-07-01止

生产单位: 上海浦盈混凝土有限公司

生产地址: 上海市青浦区香花桥街道外青松公路4680号



扫描二维码查询真伪

发证机关:

批准日期: 2020-06-17





 **Bank 中国光大银行** 上海分行

## 基本存款账户信息

账户名称:

上海青浦盈通混凝土有限公司



账户号码:

36680188000151935

开户银行:

中国光大银行股份有限公司上海青浦支行

法定代表人:  
(单位负责人)

顾江宏

基本存款账户编号:

J2900107014403

2021 年 09 月 14 日







上海市建设工程检测行业协会

# 会员证书

上海浦盈混凝土有限公司



根据本协会章程规定，核准你单位为本协会会员。特颁发此证书。

会员号: 0585

发证日期: 2016年03月01日





# 上海市混凝土行业协会

## 会员证书

会员编号：砼 3-00-080

上海浦盈混凝土有限公司



根据协会章程规定，核准你单位为本协会会员。特颁发此证书。

发证日期：2018年3月28日



# 上海市建筑建材业企业内部试验室

## 检测能力证书

单位名称: 上海浦盈混凝土有限公司试验室

地 址: 上海市青浦区香花桥街道外青松公路4680号

证书编号: NQP-287

检测项目: 水泥、建筑用石、建筑用砂、混凝土、外加剂、粉煤灰、矿渣微粉  
混凝土用水、再生骨料、混凝土生产回收水  
适用于: C60及以下混凝土甲级、再生骨料生产企业试验室, 检测参  
数见附件

有效期限:



上海市建设工程检测行业协会  
2021年11月26日





# 安全生产许可证

编号: (沪) JZ安许证字[2021]181197

单位名称: 上海浦盈混凝土有限公司

主要负责人: 顾江宏

单位地址: 上海市青浦区香花桥街道外青松公路4680号

经济类型: 有限责任公司(自然人投资或控股)

许可范围: 建筑施工

有效期: 2021年01月12日至2024年01月11日

发证机关: 上海市住房和城乡建设管理委员会

2021年01月12日

安全生产许可证最新信息可通过微信服务号  
“上海建筑业”扫描二维码查询。







安全生产标准化  
Work Safety Standardization

# 证书 CERTIFICATE

证书编号: AQB III JC (沪青浦) 202000002

上海浦盈混凝土有限公司

安全生产标准化三级企业  
(建材)

有效期至: 2023 年 12 月



国家安全生产监督管理总局监制  
State Administration of Work Safety



# 企业内部试验室检测能力参数表

会员编号: 0585

单位名称: 上海浦盈混凝土有限公司试验室

| 项目    | 参数                   | 执行标准                        | 限制范围       |
|-------|----------------------|-----------------------------|------------|
|       | 终凝时间                 | GB/T 50080-2016             |            |
|       | 表观密度                 | GB/T 50080-2016             |            |
|       | 泌水量和泌水率              | GB/T 50080-2016             |            |
|       | 坍落度经时损失              | GB/T 50080-2016             |            |
|       | 扩展度经时损失              | GB/T 50080-2016             |            |
|       | 混凝土拌合物中水溶性氯离子含量 (滴定) | JGJ/T322-2013               |            |
|       | 混凝土拌合物中水溶性氯离子含量 (快速) | JGJ/T322-2013               |            |
|       | 混凝土拌合物中氯离子含量 (快速)    | JTS/T236-2019               |            |
| 力学性能  | 抗压强度                 | GB/T 50081-2019             |            |
|       | 抗折强度                 | GB/T 50081-2019             |            |
| 耐久性能  | 抗渗性能                 | GB/T 50082-2009             |            |
| 其它    | 配合比                  | JGJ 55-2011                 |            |
| 外加剂   | 匀质性                  |                             |            |
|       | pH值                  | GB/T 8077-2012              |            |
|       | 含固量                  | GB/T 8077-2012              |            |
|       | 密度                   | GB/T 8077-2012              | 做: 精密密度计法  |
|       | 细度                   | GB/T 8077-2012              |            |
|       | 水泥胶砂减水率              | GB/T8077-2012               |            |
| 拌和物性能 | 含气量经时变化量             | GB 8076-2008 GB/T50080-2016 |            |
|       | 减水率                  | GB 8076-2008 GB/T50080-2016 |            |
|       | 泌水率比                 | GB 8076-2008 GB/T50080-2016 |            |
|       | 凝结时间之差               | GB 8076-2008 GB/T50080-2016 |            |
|       | 坍落度经时变化量             | GB 8076-2008 GB/T50080-2016 |            |
| 粉煤灰   | 物理性能                 |                             |            |
|       | 安定性                  | GB/T1346-2011               |            |
|       | 含水量                  | GB/T 1596-2017              |            |
|       | 细度                   | GB/T 1596-2017              |            |
|       | 化学性能                 |                             |            |
|       | 三氧化硫                 | GB/T 176-2017               | 做: 基准法     |
|       | 烧失量                  | GB/T 176-2017               |            |
|       | 游离氧化钙                | GB/T 176-2017               | 做: 甘油法(代用) |
|       | 胶砂性能                 |                             |            |
|       | 需水量比                 | GB/T 1596-2017              |            |
| 矿渣微粉  | 物理性能                 |                             |            |
|       | 密度                   | GB/T 208-2014               |            |





# 企业内部试验室检测能力参数表

会员编号: 0585

单位名称: 上海浦盈混凝土有限公司试验室

| 项目      | 参数 | 执行标准            | 限制范围 |
|---------|----|-----------------|------|
| 建筑材料    |    |                 |      |
| 水泥      |    |                 |      |
| 物理性能    |    |                 |      |
| 安定性     |    | GB/T1346-2011   |      |
| 标准稠度用水量 |    | GB/T1346-2011   |      |
| 初凝时间    |    | GB/T1346-2011   |      |
| 终凝时间    |    | GB/T1346-2011   |      |
| 细度      |    | GB/T1346-2011   |      |
| 比表面积    |    | GB/T8074-2008   |      |
| 强度      |    | GB/T17671-1999  |      |
| 密度      |    | GB/T 208-2014   |      |
| 建筑用石    |    |                 |      |
| 建筑用石    |    |                 |      |
| 颗粒级配    |    | JGJ 52-2006     |      |
| 表观密度    |    | JGJ 52-2006     |      |
| 含水率     |    | JGJ 52-2006     |      |
| 堆积密度    |    | JGJ 52-2006     |      |
| 紧密密度    |    | JGJ 52-2006     |      |
| 含泥量     |    | JGJ 52-2006     |      |
| 泥块含量    |    | JGJ 52-2006     |      |
| 针片状颗粒含量 |    | JGJ 52-2006     |      |
| 压碎值指标   |    | JGJ 52-2006     |      |
| 空隙率     |    | JGJ 52-2006     |      |
| 建筑用砂    |    |                 |      |
| 建筑用砂    |    |                 |      |
| 细度模数    |    | JGJ 52-2006     |      |
| 颗粒级配    |    | JGJ 52-2006     |      |
| 表观密度    |    | JGJ 52-2006     |      |
| 含水率     |    | JGJ 52-2006     |      |
| 堆积密度    |    | JGJ 52-2006     |      |
| 紧密密度    |    | JGJ 52-2006     |      |
| 含泥量     |    | JGJ 52-2006     |      |
| 泥块含量    |    | JGJ 52-2006     |      |
| 氯离子含量   |    | JGJ 52-2006     |      |
| 石粉含量    |    | JGJ 52-2006     |      |
| 压碎值指标   |    | JGJ 52-2006     |      |
| 贝壳含量    |    | JGJ52-2006      |      |
| 空隙率     |    | JGJ 52-2006     |      |
| 混凝土     |    |                 |      |
| 拌合物性能   |    |                 |      |
| 坍落度     |    | GB/T 50080-2016 |      |
| 坍落扩展度   |    | GB/T 50080-2016 |      |
| 含气量     |    | GB/T 50080-2016 |      |
| 初凝时间    |    | GB/T 50080-2016 |      |



# 企业内部试验室检测能力参数表


会员编号: 0585

单位名称: 上海浦盈混凝土有限公司试验室

| 项目       | 参数 | 执行标准               | 限制范围   |
|----------|----|--------------------|--------|
| 比表面积     |    | GB/T8074-2008      |        |
| 化学性能     |    |                    |        |
| 三氧化硫     |    | GB/T 176-2017      | 做: 基准法 |
| 胶砂性能     |    |                    |        |
| 活性指数     |    | GB/T 18046-2017    |        |
| 流动度比     |    | GB/T 18046-2017    |        |
| 混凝土用水    |    |                    |        |
| 水质分析     |    |                    |        |
| pH值      |    | GB/T 6920-1986     |        |
| 氯化物      |    | GB/T 11896-1989    |        |
| 再生骨料     |    |                    |        |
| 再生细骨料    |    |                    |        |
| 细度模数     |    | GB/T14684-2011     |        |
| 颗粒级配     |    | GB/T14684-2011     |        |
| 微粉含量     |    | GB/T14684-2011     |        |
| 泥块含量     |    | GB/T14684-2011     |        |
| 再生胶砂需水量比 |    | GB/T25176-2010     |        |
| 表观密度     |    | GB/T14684-2011     |        |
| 堆积密度     |    | GB/T14684-2011     |        |
| 空隙率      |    | GB/T14684-2011     |        |
| 再生粗骨料    |    |                    |        |
| 颗粒级配     |    | GB/T14685-2011     |        |
| 微粉含量     |    | GB/T14685-2011     |        |
| 泥块含量     |    | GB/T14685-2011     |        |
| 吸水率      |    | GB/T17431.2-2010   |        |
| 压碎指标     |    | GB/T14685-2011     |        |
| 表观密度     |    | GB/T14685-2011     |        |
| 空隙率      |    | GB/T14685-2011     |        |
| 针片状颗粒含量  |    | GB/T14685-2011     |        |
| 混凝土生产回收水 |    |                    |        |
| 水质分析     |    |                    |        |
| 湿泥粉含量    |    | DG/T J08-2181-2015 |        |

参数表发放日期: 2021年11月26日

有效期至: 2023年11月30日





## 企业简介

我公司位于上海市青浦区香花桥街道外青松公路 4680 号西靠东大盈港，总投资 10000 万元，注册资金 2100 万元，占地面积近 30000 平方米，是一家专业从事商品混凝土生产的现代化中型企业。

作为现代化的生产企业，我公司组织机构完整，规章制度健全，生产管理先进，员工质量意识浓厚，各类专业技术人才齐全，技术力量雄厚，拥有职称的工程师 2 名，助理工程师 3 名，会计师 1 名，各种技术操作人员 220 余人，具有丰富生产调度经验和企业管理能力的中上层干部 25 余名。

公司十分注重先进设备投入，拥有三套先进的 3 方砼之光商品混凝土全自动搅拌楼生产线，200 吨水泥筒仓 12 座，1500 吨水泥中专库 1 座，总计 15000 吨骨料仓安置于地下 9 米，汽车运输泵 67 米 2 台、63 米 2 台、56 米 3 台、52 米 1 台、49 米 1 台、47 米 1 台、38 米 2 台、搅拌运输车 96 辆，大型装载机四台，固定码头吊机 4 台，拥有配套设施齐全的码头船舶线 250 米，日生产能力可达 8000 立方以上，年生产能力可达 180 万立方以上，生产能力在同行业中相对来说比较强大，是大工程大方量的生产任务坚实基础和有力的保证。

上海浦盈混凝土有限公司

